		r ·		ı———	ı	<del>,                                    </del>
S9	20077	second with (tree or hierarch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 16:12
S10	4	S6 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 20:05
S11	2	("6745161").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/04/17 20:12
S12	540	(concept\$5 with search\$3) and recursive\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 20:15
S13	16	(concept\$5 with search\$3).ab. and recursive\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ÓR	OFF	2007/04/17 20:16
S14	5	S13 and @ad<"20000216"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 20:16
S15	4	(concept\$5 with search\$3).ti. and recursive\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 20:16
S16	0	S15 and @ad<"20000216"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 20:16

1		1	T	I	1
37	(concept\$5 with search\$3).clm. and recursive\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 20:18
8	S17 and @ad<"20000216"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÖFF	2007/04/17 20:33
540	(concept\$5 with search\$3) and recursive\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 20:32
2	S19 and (expan\$4 with (search\$3 or quer\$3) ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR.	OFF	2007/04/17 20:22
7	S19 and (expan\$4 with (search\$3 or quer\$3) ).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 20:24
113	S19 and (expan\$4 with (search\$3 or quer\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 20:24
25	S22 and @ad<"20000216"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 20:24
<sup>1</sup> 97	(concept\$5 with search\$3) and (recursive\$2 with search\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 20:32
	2 7 113	recursive\$2  8 S17 and @ad<"20000216"  540 (concept\$5 with search\$3) and recursive\$2  2 S19 and (expan\$4 with (search\$3 or quer\$3)).ab.  7 S19 and (expan\$4 with (search\$3 or quer\$3)).clm.  113 S19 and (expan\$4 with (search\$3 or quer\$3))  25 S22 and @ad<"20000216"	recursive\$2    SPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	recursive\$2  VSPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB  8 S17 and @ad<"20000216"  US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB  540 (concept\$5 with search\$3) and recursive\$2  VSPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB  2 S19 and (expan\$4 with (search\$3 or quer\$3) ).ab.  VS-PGPUB; US-PGPUB; US	recursive\$2  USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB  US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB  OR USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB  US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; EPO; JPO; DERWENT; USOCR; EPO; JPO; DERWENT; EPO; JPO; D

S25	7	(concept\$5 with search\$3).ab. and (recursive\$2 with search\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 20:33
S26	25	(concept\$5 with search\$3) and (expan\$4 with search\$3) and (recursive\$2 with search\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:16
S27	7	S26 and @ad<"20000216"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 21:18
S28	2	"939336".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 21:19
S29	2	"938336".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 21:19
S30	97	(concept\$5 with search\$3) and (recursive\$2 with search\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:17
S31	7	(concept\$5 with search\$3).ab. and (recursive\$2 with search\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:19
S32	0	(concept\$5 with search\$3).ti. and (recursive\$2 with search\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:19

S33	0	(concept\$5 with (search\$3 or quer\$3)).ti. and (recursive\$2 with search\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:19
S34	11	(concept\$5 with (search\$3 or quer\$3)).clm. and (recursive\$2 with search\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:47
S35	0	(concept\$5 with (search\$3 or quer\$3)).ti. and (recursive\$2 with search\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:48
S36	10	(concept\$5 with (search\$3 or quer\$3)).ab. and (recursive\$2 with search\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR T	OFF	2007/04/19 10:50
S37	6	S36 and @ad<"20000823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:49
S38	8	(expan\$5 with (search\$3 or quer\$3)).ab. and (recursive\$2 with search\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:49
S39	6	S37 and @ad<"20000823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:50
S40	145	((expan\$5 or concept\$3) with (search\$3 or quer\$3)).ab. and ((recursive\$2 or repeat\$3) with (search\$3 or quer\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:55

S41	55	S40 and @ad<"20000823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:55
S42	30	(concept\$5 with (search\$3 or quer\$3)) and S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:55
S43	1501	((expan\$5 or concept\$3) with (search\$3 or quer\$3)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:55
S44	709	(concept\$5 with (search\$3 or quer\$3)) and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR-	OFF	2007/04/19 10:55
S45	47	S44 and @ad<"20000823" and ((recursive\$2 or refin\$3 or repeat\$3) with (search\$3 or quer\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:56
S46	22	S44 and @ad<"20000823" and (( refin\$3 ) with (search\$3 or quer\$3)) and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:56

Sign in

**Google** 

 Web
 Images
 Video
 News
 Maps
 more »

 concept searching
 Search
 Advanced Search Preferences

Web

Results 1 - 10 of about 14,100,000 for concept searching. (0.31 seconds)

**EDD- Electronic Discovery** 

Sponsored Links

www.infocachecorp.com NYC Based, Targeted Discovery Large Capacity Fast TAT Since 1999

Concept Searching

www.conceptsearching.com Search and Classify Documents Using Concepts not Keywords

Concept Searching | Fios, Inc. - Electronic Discovery Simplified ® Unlike keyword search systems that match exactly what you "say," concept search

systems determine what you mean. Concept search engines aim to do what you ... www.fiosinc.com/services/concept\_searching.html - 31k - Cached - Similar pages

ConceptSearching - Home

Information Retrieval, Automatic classification and categorisation software. www.conceptsearching.com/ - 38k - Cached - Similar pages

[PDF] What is concept searching

File Format: PDF/Adobe Acrobat - View as HTML

Concept searching uses mathematical techniques to represent the meanings of words

in ... Concept searching reduces the effects of these limitations. ...

www.dolphinsearch.com/files/concept\_searching.pdf - Similar pages

SearchExpress concept search

The **concept search** can be a powerful tool in that the **concept** itself can be a boolean expression. E.g., Intel used the name of a River as the development ... www.searchexpress.com/**concept**.htm - 5k - <u>Cached</u> - <u>Similar pages</u>

Concept Search: Exploring a General Idea

In a **concept search**, PLWeb Turbo first generates a list of terms that are statistically related to the words in your query. This list is similar to the ... uscode.house.gov/search/help/htmlsrc/consrch.html - 2k - Cached - Similar pages

Word-Level Concept Searching

With the **concept** operator—the exclamation point—you can perform a **concept search** for an individual query word, as opposed to using the **Search** Screen's ... uscode.house.gov/help/htmlsrc/conop.html - 2k - <u>Cached</u> - <u>Similar pages</u>

Engenium Concept Searching: Beyond Keywords

Conceptual **search** technology created using methods of automatic learning and semantic analysis. Features product overview, library and contact information. www.engenium.com/ - 25k - Cached - Similar pages

Webliminal.com Search Results

**concept searching** A feature enabling a **search** engine to find ... phrase, **... Concept Searching** The ability of a **search** engine database ... is in your **search ...** search.freefind.com/find.html?id=3138954& pid=r&mode=ALL&n=0&query=**concept+searching**&S... - 12k - <u>Cached</u> - <u>Similar pages</u>

Concept Search: Exploring a General Idea

Rather than formulating an all-encompassing query, you can perform **concept searching**. This is done by clicking the **Concept Search** radio button, ...

www.psychcrawler.com/plweb/info/help/consrch.html - 3k - Cached - Similar pages

**Concept Search** Example

**Concept Searching** with Metamorph. In this example we are showing the MS-Windows version of Metamorph to **search** for a **concept** using a natural language query. ... www.thunderstone.com/doc/winmm.html - 2k - <u>Cached</u> - <u>Similar pages</u>

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

Try Google Desktop: search your computer as easily as you search the web.

concept searching Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2007 Google